

## Gadres 4000 Mix Tables

Gadres 4000 in Litres per feet			Gadres 4000 Mix 30 per feet			Gadres 4000 Mix 60 per feet		
Diameter (inches)	Thickness (mm)	Total Qty of resin in Ltr per feet	Gadres 4000 (ltr)	Gadcat 40 (ml)	Gadcell 10 (ml)	Gadres 4000 (ltr)	Gadcat 40 (ml)	Gadcell 10 (ml)
4	3.0	0.37	0.36	7.32	7.32	0.35	18.29	0.00
5	3.0	0.46	0.45	9.15	9.15	0.43	22.87	0.00
6	3.0	0.55	0.54	10.98	10.98	0.52	27.44	0.00
6	4.5	0.82	0.81	16.46	16.46	0.78	41.16	0.00
8	4.5	1.10	1.08	21.95	21.95	1.04	54.88	0.00
8	6.0	1.46	1.43	29.27	29.27	1.39	73.17	0.00
10	6.0	1.83	1.79	36.59	36.59	1.74	91.46	0.00
12	6.0	2.20	2.15	43.90	43.90	2.09	109.76	0.00
12	7.5	2.74	2.69	54.88	54.88	2.61	137.20	0.00
15	6.0	2.74	2.69	54.88	54.88	2.61	137.20	0.00
15	7.5	3.43	3.36	68.60	68.60	3.26	171.49	0.00
16	6.0	2.93	2.87	58.54	58.54	2.78	146.34	0.00
16	7.5	3.66	3.59	73.17	73.17	3.48	182.93	0.00
18	7.5	4.12	4.03	82.32	82.32	3.91	205.79	0.00
18	9.0	4.94	4.84	98.78	98.78	4.69	246.95	0.00
20	7.5	4.57	4.48	91.46	91.46	4.34	228.66	0.00
20	9.0	5.49	5.38	109.76	109.76	5.21	274.39	0.00
24	7.5	5.49	5.38	109.76	109.76	5.21	274.39	0.00
24	9.0	6.59	6.45	131.71	131.71	6.26	329.27	0.00
24	12.0	8.78	8.60	175.61	175.61	8.34	439.02	0.00

Gadres 4000 in Litres per meter			Gadres 4000 Mix 30 per m			Gadres 4000 Mix 60 per m		
Diameter (inches)	Thickness (mm)	Total Qty of resin in Ltr per metre	Gadres 4000 (ltr)	Gadcat 40 (ml)	Gadcell 10 (ml)	Gadres 4000 (ltr)	Gadcat 40 (ml)	Gadcell 10 (ml)
4	3.0	1.20	1.18	24.00	24.00	1.14	60.00	0.00
5	3.0	1.50	1.47	30.00	30.00	1.43	75.00	0.00
6	3.0	1.80	1.76	36.00	36.00	1.71	90.00	0.00
6	4.5	2.70	2.65	54.00	54.00	2.57	135.00	0.00
8	4.5	3.60	3.53	72.00	72.00	3.42	180.00	0.00
8	6.0	4.80	4.70	96.00	96.00	4.56	240.00	0.00
10	6.0	6.00	5.88	120.00	120.00	5.70	300.00	0.00
12	6.0	7.20	7.06	144.00	144.00	6.84	360.00	0.00
12	7.5	9.00	8.82	180.00	180.00	8.55	450.00	0.00
15	6.0	9.00	8.82	180.00	180.00	8.55	450.00	0.00
15	7.5	11.25	11.03	225.00	225.00	10.69	562.50	0.00
16	6.0	9.60	9.41	192.00	192.00	9.12	480.00	0.00
16	7.5	12.00	11.76	240.00	240.00	11.40	600.00	0.00
18	7.5	13.50	13.23	270.00	270.00	12.83	675.00	0.00
18	9.0	16.20	15.88	324.00	324.00	15.39	810.00	0.00
20	7.5	15.00	14.70	300.00	300.00	14.25	750.00	0.00
20	9.0	18.00	17.64	360.00	360.00	17.10	900.00	0.00
24	7.5	18.00	17.64	360.00	360.00	17.10	900.00	0.00
24	9.0	21.60	21.17	432.00	432.00	20.52	1080.00	0.00
24	12.0	28.80	28.22	576.00	576.00	27.36	1440.00	0.00

## Gadres 4000 Mix Tables

Gadres 4000 in Lbs per feet		Gadres 4000 Mix 30 per feet			Gadres 4000 Mix 60 per feet		
Diameter (inches)	Thickness (mm)	Gadres 4000 (lbs)	Gadcat 40 (lbs)	Gadcell 10 (lbs)	Gadres 4000 (lbs)	Gadcat 40 (lbs)	Gadcell 10 (lbs)
4	3.0	0.87	0.02	0.02	0.84	0.04	0.00
5	3.0	1.08	0.02	0.02	1.05	0.06	0.00
6	3.0	1.30	0.03	0.02	1.26	0.07	0.00
6	4.5	1.95	0.04	0.04	1.89	0.10	0.00
8	4.5	2.60	0.05	0.05	2.52	0.13	0.00
8	6.0	3.47	0.07	0.06	3.36	0.18	0.00
10	6.0	4.34	0.09	0.08	4.21	0.22	0.00
12	6.0	5.21	0.11	0.10	5.05	0.27	0.00
12	7.5	6.51	0.13	0.12	6.31	0.33	0.00
15	6.0	6.51	0.13	0.12	6.31	0.33	0.00
15	7.5	8.13	0.17	0.15	7.89	0.42	0.00
16	6.0	6.94	0.14	0.13	6.73	0.35	0.00
16	7.5	8.68	0.18	0.16	8.41	0.44	0.00
18	7.5	9.76	0.20	0.18	9.46	0.50	0.00
18	9.0	11.71	0.24	0.22	11.35	0.60	0.00
20	7.5	10.85	0.22	0.20	10.51	0.55	0.00
20	9.0	13.01	0.27	0.24	12.62	0.66	0.00
24	7.5	13.01	0.27	0.24	12.62	0.66	0.00
24	9.0	15.62	0.32	0.29	15.14	0.80	0.00
24	12.0	20.82	0.42	0.39	20.19	1.06	0.00

## Gadres 4000 Mix Tables

Gadres 4000 Mix 120 per feet			Gadres 4000 Mix 180 per feet		
Gadres 4000 (ltr)	Gadcat 40 (ml)	Gadcell 10 (ml)	Gadres 4000 (ltr)	Gadcat 40 (ml)	Gadcell 10 (ml)
0.35	12.80	0.00	0.36	7.32	0.00
0.44	16.01	0.00	0.45	9.15	0.00
0.53	19.21	0.00	0.54	10.98	0.00
0.79	28.81	0.00	0.81	16.46	0.00
1.06	38.41	0.00	1.08	21.95	0.00
1.41	51.22	0.00	1.43	29.27	0.00
1.77	64.02	0.00	1.79	36.59	0.00
2.12	76.83	0.00	2.15	43.90	0.00
2.65	96.04	0.00	2.69	54.88	0.00
2.65	96.04	0.00	2.69	54.88	0.00
3.31	120.05	0.00	3.36	68.60	0.00
2.82	102.44	0.00	2.87	58.54	0.00
3.53	128.05	0.00	3.59	73.17	0.00
3.97	144.05	0.00	4.03	82.32	0.00
4.77	172.87	0.00	4.84	98.78	0.00
4.41	160.06	0.00	4.48	91.46	0.00
5.30	192.07	0.00	5.38	109.76	0.00
5.30	192.07	0.00	5.38	109.76	0.00
6.35	230.49	0.00	6.45	131.71	0.00
8.47	307.32	0.00	8.60	175.61	0.00

Gadres 4000 Mix 120 per m			Gadres 4000 Mix 180 per m		
Gadres 4000 (ltr)	Gadcat 40 (ml)	Gadcell 10 (ml)	Gadres 4000 (ltr)	Gadcat 40 (ml)	Gadcell 10 (ml)
1.16	42.00	0.00	1.18	24.00	0.00
1.45	52.50	0.00	1.47	30.00	0.00
1.74	63.00	0.00	1.76	36.00	0.00
2.61	94.50	0.00	2.65	54.00	0.00
3.47	126.00	0.00	3.53	72.00	0.00
4.63	168.00	0.00	4.70	96.00	0.00
5.79	210.00	0.00	5.88	120.00	0.00
6.95	252.00	0.00	7.06	144.00	0.00
8.69	315.00	0.00	8.82	180.00	0.00
8.69	315.00	0.00	8.82	180.00	0.00
10.86	393.75	0.00	11.03	225.00	0.00
9.26	336.00	0.00	9.41	192.00	0.00
11.58	420.00	0.00	11.76	240.00	0.00
13.03	472.50	0.00	13.23	270.00	0.00
15.63	567.00	0.00	15.88	324.00	0.00
14.48	525.00	0.00	14.70	300.00	0.00
17.37	630.00	0.00	17.64	360.00	0.00
17.37	630.00	0.00	17.64	360.00	0.00
20.84	756.00	0.00	21.17	432.00	0.00
27.79	1008.00	0.00	28.22	576.00	0.00

NOTE The information provided in these tables is based on results from laboratory tests in a dark temperature controlled chamber. The users is strongly advised to carry out tests to verify the applicability to each particular situation prior to use, as factors such as wind chill, UV light, humidity WILL affect the results.

## Gadres 4000 Mix Tables

Gadres 4000 Mix 120 per feet			Gadres 4000 Mix 180 per feet		
Gadres 4000 (lbs)	Gadcat 40 (lbs)	Gadcell 10 (lbs)	Gadres 4000 (lbs)	Gadcat 40 (lbs)	Gadcell 10 (lbs)
0.85	30.99	0.00	0.87	0.02	0.00
1.07	38.73	0.00	1.08	0.02	0.00
1.28	46.48	0.00	1.30	0.03	0.00
1.92	69.72	0.00	1.95	0.04	0.00
2.56	92.96	0.00	2.60	0.05	0.00
3.42	123.95	0.00	3.47	0.07	0.00
4.27	154.94	0.00	4.34	0.09	0.00
5.13	185.93	0.00	5.21	0.11	0.00
6.41	232.41	0.00	6.51	0.13	0.00
6.41	232.41	0.00	6.51	0.13	0.00
8.01	290.51	0.00	8.13	0.17	0.00
6.84	247.90	0.00	6.94	0.14	0.00
8.54	309.88	0.00	8.68	0.18	0.00
9.61	348.61	0.00	9.76	0.20	0.00
11.53	418.34	0.00	11.71	0.24	0.00
10.68	387.35	0.00	10.85	0.22	0.00
12.82	464.82	0.00	13.01	0.27	0.00
12.82	464.82	0.00	13.01	0.27	0.00
15.38	557.78	0.00	15.62	0.32	0.00
20.51	743.71	0.00	20.82	0.42	0.00

**NOTE** The information provided in these tables is based on results from laboratory tests in a dark temperature controlled chamber. The users is strongly advised to carry out tests to verify the applicability to each particular situation prior to use, as factors such as wind chill, UV light, humidity WILL affect the results.